

RF®

REEB® FINISH



Reeb® Finish Paint

A versatile color palette featuring elegant, modern hues and bold, rustic tones providing exciting options to achieve the look you desire. This offering boasts vibrant, truer-to-life colors that give the finished product additional depth and resistance to fading. For a complete entryway solution, several color options match Reeb's door accessories.



Warranty: All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service. Visit reebfinish.com/warranties for complete warranty information.

Learn more about the Reeb® Finish Paint process on **page 21**
View our paint offering on **pages 22-23**



Reeb® Finish Stain

Featuring PrismaGuard™ by Therma-Tru®.

A superior staining system for fiberglass doors that produces a uniquely realistic and durable finish. Skilled Reeb Finish craftsmen hand-brush each component of the door to enhance its deep embossments and authentic grain patterns. A dual top-coat highlights fine details and ensures superior endurance and protection from the elements.




Warranty: All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service. Visit reebfinish.com/warranties for complete warranty information.

Learn more about the Reeb® Finish Stain process on **page 5**
View our stain offering on **pages 8-19**

THERMA TRU®
DOORS

PRISMA GUARD™





Reeb® Finish Stain




Hand Brushed Artistry + Factory Precision = Truly Remarkable Results.

PrismaGuard™ is a hybrid paint/stain coating system for Therma-Tru fiberglass doors that produces an incredibly durable finish featuring the natural look of real wood. When combined with hand-application by skilled Reeb Finish craftsmen, the results are exquisite.

The Reeb® Finish Stain System

Finishing components of a door unit separately produces much more consistent results than when finishing a pre-assembled door unit. Each step in the carefully controlled process is crucial to crafting the most authentic, longest-lasting finish possible.



Classic-Craft, Oak
finished in Rustic Clay

1. **Meticulous Preparation:** Each door is carefully inspected and prepared for the staining process prior to entering the coating area. All components are wiped clean, glass is taped-off and edges are prepared to ensure proper base coat application.
2. **Base Coat Application:** All components are inspected a second time before receiving the base coat that will serve as the foundation of the door's final color.
3. **Stain Application:** Stain coat is applied and hand-brushed by skilled Reeb Finish artisans to replicate the attractive color variations and inconsistencies found in real wood. This enhances the intricate grain patterns and deep embossments found in Therma-Tru® fiberglass doors.
4. **First Top Coat Application:** The preliminary top coat seals the finish and enhances the colors highlighted in the staining process, adding durability and sheen to the final product.
5. **Second Top Coat Application:** The second top coat further accentuates the unique beauty of the finished product and is essential to provide maximum durability and protection from the elements.
6. **Assembly:** The finished door components are inspected a third time to ensure accuracy and consistency. Any necessary touch-ups are applied and the door unit is carefully assembled and packaged for delivery.

How Grain Types Affect Finishing

Classic-Craft® Doors with Different Grain Types

Classic-Craft Doors from Therma-Tru feature the look of real wood. The mold used to create the door features a grain pattern that mimics real wood. Just like real wood, each grain type stains a little differently.



Classic-Craft® American
Finished in Rustic Clay



Classic-Craft® Mahogany/Rustic
Finished in Rustic Clay



Classic-Craft® Oak
Finished in Rustic Clay

Classic-Craft® vs. Fiber-Classic® Doors


While Classic-Craft® doors feature surface grain patterns modeled directly from natural wood, Fiber-Classic® doors instead feature a close interpretation of real wood. Even when applying the same stain color, this can have an effect on the door's final appearance.



Classic-Craft® Oak
Unfinished



Fiber-Classic® Oak
Unfinished



Classic-Craft® Oak
Finished in Autumn Harvest



Fiber-Classic® Oak
Finished in Autumn Harvest



PrismaGuard™ Finish
Wildflower Honey



Shown on Classic-Craft, American

PrismaGuard™ Finish
Rustic Clay



Shown on Classic-Craft. Oak

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.



PrismaGuard™ Finish
Redwood



Shown on Fiber-Classic® Mahogany

PrismaGuard™ Finish
Autumn Harvest



Shown on Classic-Craft. Mahogany

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.



PrismaGuard™ Finish
Outback



Shown on Classic-Craft, American

PrismaGuard™ Finish
Mulberry



Shown on Classic-Craft. Rustic

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.



PrismaGuard™ Finish
Driftwood



Shown on Classic-Craft, Oak

PrismaGuard™ Finish
New Earth



Shown on Classic-Craft. Mahogany

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.



PrismaGuard™ Finish
Dark Maple



Shown on Classic-Craft, Rustic

PrismaGuard™ Finish
Bark



Shown on Classic-Craft. American

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.



PrismaGuard™ Finish
Shale



Shown on Classic-Craft® Rustic

PrismaGuard™ Finish
Raven



Shown on Classic-Craft. Mahogany

Please note: The grain pattern on your door may affect its final color after finishing. See page 6 for more details. Due to the printing process, images shown are representative of the stain color and may vary from actual stain color.




Reeb® Finish
Paint

A Versatile Color Palette Blending Modern Elegance with Rustic Charm.

A refined color palette featuring elegant, modern hues and bold, rustic tones providing exciting options to achieve the look you desire. This offering boasts more vibrant, truer-to-life colors that give the finished product additional visual depth and resistance to fading. Several Reeb® Finish paint colors are trade-matched to Larson® Storm Doors and Reeb® Finish Aluminum Clad.

The Reeb® Finish Paint System

Finishing components of a door unit separately produces much more consistent results than when finishing a pre-assembled door unit. Each step in the carefully controlled process is crucial to crafting the most authentic, longest-lasting finish possible.



1. **Meticulous Preparation:** Each door is carefully inspected and prepared for the painting process prior to entering the coating area. All components are wiped clean, glass is taped-off and edges are prepared to ensure proper base coat application.
2. **Base Coat Application:** All components are inspected a second time before receiving the base coat that will serve as the foundation of the door's final color.
3. **First Top Coat Application:** The preliminary top coat seals the finish and enhances the color applied during the painting process, adding durability and sheen to the final product.
4. **Second Top Coat Application:** The second top coat further accentuates the unique beauty of the finished product and is essential to provide maximum durability and protection from the elements.
5. **Assembly:** The finished door components are inspected a third time to ensure accuracy and consistency. Any necessary touch-ups are applied and the door unit is carefully assembled and packaged for delivery.




Reeb® Finish Paint



Alaskan Storm




Morning Dove



Harbor Fog




Grace Bay




Nautilus



Tanned Leather



Brighton



Urban Dusk




Falcon Gray



Java Bean



Mocha Chip



Sienna Bronze





Luna Moth




Deep Moss




Bamboo Forest



Royal Marine




Moonless Night




Total Eclipse



Rio



Mojave Red



Dahlia



Dried Cranberry



Ask to see a Reeb® Finish Paint Deck which includes actual paint samples. This should be used for the most accurate color representation.



Reeb® Finish Aluminum Clad

Low Maintenance, Affordable & Easy to Install

Aluminum Clad is a pre-painted finishing solution for jambs and brickmould which adds an attractive, clean look to your overall door unit. Designed from affordable aluminum coil stock, Aluminum Clad is formed into a covering with highly defined moulding details and a textured, easy-to-clean surface.

Designed For Success

1. HIGHLY DEFINED MOULDING

The bending of the coil stock follows the contours and definitions of the jambs and brickmould resulting in defined details that last.

2. STORM DOOR READY

Every unit with a sidelite is constructed with a FrameSaver® Storm Door Ready Mullpost.

3. WEATHER SEALED

Tubes of color-matched and clear caulk are provided with your installation kit to seal edges from moisture and create a unit with a complete, finished look.


4. TEXTURED SURFACE

The easy-to-clean surface of the cladding has an appealing pre-painted texture that requires no refinishing while maintaining its vibrant color.

5. CLEAN EDGES

Each piece is machine cut resulting in a pleasing clean look to the edge of the clad.

Visit reeb.com/warranties for more information.




Engineered to Last



MOISTURE MANAGEMENT

The system was designed with the clad pieces overlapping, preventing moisture from accumulating beneath the cladding.



SECURE FIT

The sides of the brickmould covers are angled for a tight fit while the edges are hemmed, or bent over themselves, to provide rigidity.





ROT RESISTANT

Aluminum Clad is used with FrameSaver® products, which were designed to resist rot and decay by using a composite block at the bottom - the most susceptible area of the frame.





Efficient Installation

Installation is a quick and easy process. The door unit is secured in the rough opening, then the cladding is simply snapped into place over the jambs and brickmould concealing the installation holes and providing a clean appearance. Finally, premium grade caulk is applied at the seams to seal the unit from the elements.



Single/Double
Door Units



Door Units
with Sidelites

View the installation instructions and installation videos at learn.reeb.com/aluminum-clad.



Reeb® Finish Aluminum Clad

Color Options

Aluminum Clad is available in the following colors, trade-matched to both Reeb® Finish Paint ■ as well as Larson® Storm Doors ■



Bright White ■



Anderson White ■



Cozy Cottage ■



Sandy Beige ■



Clay ■



Anderson Terratone ■



Eldridge Gray ■




Brown ■



Mocha ■



Forest ■



Black ■

Ask to see a Reeb® Finish Aluminum Clad Deck which includes actual clad samples. This should be used for the most accurate color representation.





Trade-Matched Colors

Reeb® Finish Paint colors are Trade-Matched to Reeb Finish Aluminum Clad and Larson® Storm Door colors.

What does Trade-Matched mean? Each paint color is applied to a different substrate and the end results are colors that are similar in appearance but not exact matches. Please view the color comparison chart to see which colors are trade-matched to each other.

View Color Comparison Chart

reebfinish.com/trade-matched






Reeb® Finish Pre-Finished Door System



Aluminum Clad



Storm Door Ready Mullpost



Jamb



2"



3"

Brickmould Profiles



Exterior

Reeb® Finish PrismaGuard™ door and sidelite
with Reeb Finish Aluminum Clad

Why stop at the door? With Reeb® Finish you can choose from a wide variety of options providing an entire pre-finished unit. Select either On-Guard™ composite or solid wood frames. A split finish allows for different colors on the exterior and interior side of the unit.



Interior

Reeb® Finish Paint door and sidelite



Reeb® Finish Frames

On-Guard™ Frames

To achieve the maximum level of protection for your entire door unit, we recommend using an On-Guard composite frame whenever possible.

On-Guard Composite Frames:

- Feature a 10 year warranty with Reeb Finish Stain or Reeb Finish Paint products
- Will not warp, splinter or rot
- Will not absorb water
- Require less maintenance than solid wood



On-Guard Oak Grain



On-Guard Straight Grain

Smooth Grain Frames

Smooth Grain is the application of PrismaGuard™ stain on a smooth On-Guard Primed frame. This option imitates the natural look of real wood with a 10 year warranty.



On-Guard Smooth Grain
stained in PrismaGuard



On-Guard Primed

Wood Frames

Reeb Wood frames are a mill option wood which provide a strong, reliable foundation for a beautiful finish. When finished with Reeb Finish, Reeb Wood frames feature a 1 year warranty.



Reeb Wood
stained in PrismaGuard



Reeb Wood
painted in white

Brickmould Options

Brickmould is offered in the same species as the frame to complete the exterior side of the unit. Available with Reeb® Finish PrismaGuard™ Stain or Paint applied, matching the finish of the exterior frame.



On-Guard Straight Grain




On-Guard Oak Grain



On-Guard Smooth Grain
stained in PrismaGuard



On-Guard Primed



Reeb Wood
stained in PrismaGuard



Reeb Wood
painted in white



**A learning center for
everything door related.**

Search for Reeb Finish Paint
or PrismaGuard Stain for more
information, as well as videos that
show the finishing process.

Visit the Reeb Learning Center
at learn.reeb.com



▣ **Bethlehem, PA**

1000 Maloney Circle
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

▣ **Barclay, MD**

1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

▣ **Mocksville, NC**

346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

▣ **Providence, RI**

19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

▣ **Syracuse, NY**

7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax



WWW.REEB.COM

PART# RFBOOK19

VERSION 1.0.0